

**IN THE CLAIMS**

Please amend the claims as follows. This listing of the claims will replace all prior versions, and listings, of the claims in the Application.

1. (currently amended) A computer-implemented method for enabling users to remotely access a computer system using an active shared directory account maintained on a different computer system, comprising:
  - facilitating authentication of a user using only information derived from said shared directory account, wherein said authenticating includes the computer system accessing said shared directory account on the different computer system;
  - ~~authorizing access to a computer system by a user in response to~~ determining that the user does not have a local account on the computer system in response to successfully authenticating the user thereby recognizing that the user is a non-local user with respect to the computer system;[[,]]
  - ~~wherein said authorizing access includes successfully verifying that the user has an active shared directory account associated with the computer system;~~
  - selecting a universal local user account of the computer system in response to successfully identifying a recognized group membership affiliation for the user that corresponds to said shared directory account such that the universal local user account is selected dependent upon said shared directory account and the recognized group membership affiliation, wherein the universal local user account has access privilege on the computer system; and
  - mapping the user to the universal local user account, wherein said mapping enables access to the computer system by the user in accordance with an access privilege level corresponding to the universal local user account.

2. (previously presented) The method of claim 1 wherein selecting the universal local user account of the computer system dependent upon said shared directory account includes determining at least one of directory services group membership information associated with said shared directory account and access privilege information associated with said shared directory account.
3. (original) The method of claim 1 wherein said selecting the universal user account includes correlating a universal local user account access level to a corresponding group membership of the user.
4. (original) The method of claim 1 wherein:  
the universal local user account is one of a plurality of universal local user accounts; and  
each one of said universal local user accounts has a respective access privilege level associated therewith.
5. (original) The method of claim 1, further comprising:  
creating said plurality of universal local user accounts prior to performing said selecting,  
wherein each one of said universal local user access accounts has a respective access privilege level associated therewith.
6. (cancelled)
7. (cancelled)
8. (original) The method of claim 1 wherein several users can be simultaneously mapped to the universal local user account for enabling simultaneous access by each one of said users to the computer system.

9. (currently amended) A computer-implemented method for enabling users to remotely access [[a]]the computer system using an active shared directory account maintained on a different computer system, comprising:
- facilitating authentication of a user using only information derived from said shared directory account, wherein said authenticating includes the computer system accessing said shared directory account on the different computer system;
- determining that ~~[[a]]the user of a computer system~~ does not have a local account on the computer system thereby recognizing that the user is a non-local status user with respect to the computer system; and
- associating the user with a universal local user account of the computer system after said determining and in response to successfully identifying a recognized group membership affiliation for the user that corresponds to said shared directory account such that the universal local user account is selected dependent upon said shared directory account and the recognized group membership affiliation~~after determining that the user has an active shared directory account associated with the computer system~~, wherein the universal local user account has access privilege on the computer system and wherein said associating enables access to the computer system in accordance with said access privilege corresponding to the universal local user account.
10. (previously presented) The method of claim 9 wherein associating the user with the universal local user account includes determining at least one of directory services group membership information associated with said shared directory account and access privilege information associated with said shared directory account.

11. (original) The method of claim 9 wherein said associating includes correlating a universal local user account access level to a corresponding access level of a group membership of the user.
12. (original) The method of claim 9 wherein:
  - the universal local user account is one of a plurality of universal local user accounts; and
  - each one of said universal local user accounts has a respective access privilege level associated therewith.
13. (original) The method of claim 9, further comprising:
  - creating said plurality of universal local user accounts prior to performing said selecting, wherein each one of said universal local user access accounts has a respective access privilege level associated therewith.
14. (canceled)
15. (previously presented) The method of claim 13 wherein said user account selection information includes at least one of directory services group membership information and access privilege information.
16. (previously presented) The method of claim 15 wherein said selecting the universal user account includes correlating a universal local user account access level to an access level of a group membership of the user.
17. (canceled)
18. (canceled)

19. (original) The method of claim 9 wherein several users can be simultaneously mapped to the universal local user account for enabling simultaneous access by each one of said users to the computer system.

20. (currently amended) A computer system, comprising:

at least one data processing device;

instructions processable by said at least one data processing device; and

an apparatus from which said instructions are accessible by said at least one data processing device; and

means for accessing an active shared directory account maintained on a different computer system;

wherein said instructions are configured for enabling said at least one data processing device to facilitate:

facilitating authentication of a user using only information derived from the active directory account, wherein said authenticating includes the computer system accessing said shared directory account on the different computer system;

~~authorizing access to a computer system by a user in response to~~  
determining that the user does not have a local account on the computer system in response to successfully authenticating the user thereby recognizing that the user is a non-local user with respect to the first computer system;[[,]]

~~wherein said authorizing access includes successfully verifying that the user has an active shared directory account associated with the computer system;~~

selecting a universal local user account of the computer system in response to successfully identifying a recognized group membership affiliation for the user that corresponds to said shared directory account such that the universal local user account is selected dependent upon said shared directory account and the recognized group membership affiliation,  
wherein the universal local user account has access privilege on the computer system; and

mapping the user to the universal local user account, wherein said mapping enables access to the computer system by the user in accordance with an access privilege level corresponding to the universal local user account.

21. (previously presented) The computer system of claim 20 wherein selecting the universal local user account of the computer system dependent upon said shared directory account includes determining at least one of directory services group membership information associated with said shared directory account and access privilege information associated with said shared directory account.
22. (original) The computer system of claim 20 wherein said selecting the universal user account includes correlating a universal local user account access level to a corresponding group membership of the user.
23. (original) The computer system of claim 20 wherein:
  - the universal local user account is one of a plurality of universal local user accounts; and
  - each one of said universal local user accounts has a respective access privilege level associated therewith.
24. (original) The computer system of claim 20 wherein said instructions are further configured for enabling said at least one data processing device to facilitate:
  - creating said plurality of universal local user accounts prior to performing said selecting,
  - wherein each one of said universal local user access accounts has a respective access privilege level associated therewith.
25. (canceled)

26. (canceled)

27. (original) The computer system of claim 20 wherein several users can be simultaneously mapped to the universal local user account for enabling simultaneous access by each one of said users to the computer system.



28. (currently amended) A computer system, comprising:

at least one data processing device;

instructions processable by said at least one data processing device; and

an apparatus from which said instructions are accessible by said at least one data processing device; and

means for accessing an active shared directory account maintained on a different computer system;

wherein said instructions are configured for enabling said at least one data processing device to facilitate:

facilitating authentication of a user using only information derived from the active shared directory account, wherein said authenticating includes the first computer system accessing said shared directory account on a different computer system;

determining that ~~[[a]]the user of a computer system~~ does not have a local account on the computer system thereby recognizing that the user is a non-local status user with respect to the computer system; and

associating the user with a universal local user account of the computer system after said determining and in response to successfully identifying a recognized group membership affiliation for the user that corresponds to said shared directory account such that the universal local user account is selected dependent upon said shared directory account and the recognized group membership affiliation~~after determining that the user has an active shared directory account associated with the computer system~~, wherein the universal local user account has access privilege on the computer system and wherein said associating enables access to the computer system in accordance with said access privilege corresponding to the universal local user account.

29. (previously presented) The computer system of claim 28 wherein associating the user with the universal local user account includes determining at least one of directory services group membership information associated with said shared directory account and access privilege information associated with said shared directory account.
30. (original) The computer system of claim 28 wherein said associating includes correlating a universal local user account access level to a corresponding access level of a group membership of the user.
31. (original) The computer system of claim 28 wherein:  
the universal local user account is one of a plurality of universal local user accounts; and  
each one of said universal local user accounts has a respective access privilege level associated therewith.
32. (original) The computer system of claim 28 wherein said instructions are further configured for enabling said at least one data processing device to facilitate:  
creating said plurality of universal local user accounts prior to performing said selecting, wherein each one of said universal local user access accounts has a respective access privilege level associated therewith.
33. (canceled)
34. (previously presented) The computer system of claim 32 wherein said user account selection information includes at least one of directory services group membership information and access privilege information.

35. (previously presented) The computer system of claim 32 wherein said selecting the universal user account includes correlating a universal local user account access level to an access level of a group membership of the user.

36. (canceled)

37. (canceled)

38. (original) The computer system of claim 28 wherein several users can be simultaneously mapped to the universal local user account for enabling simultaneous access by each one of said users to the computer system.